| Fo: Wagner, Christine[Wagner.Christine@epa.gov] Cc: Nonresponsive based on revised scope @westonsolutions.com];   |
|---|
| **Morresponsive based on revised scope   @westonsolutions.com   Nonresponsive based on revised scope   @epa.gov   |
| nrresponsive based on revised scope @epa.gov]   |
| rom: Nontresponsive based on revised scope VO=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP   |
| FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817  |
| Sent: Fri 9/21/2018 7:52:57 PM (UTC)  |
| Subject: Case# 47768, SDG# MC0FT5 - Validated Data for Shiloh Church Road Site  |
| 47768 MC0FT5 ltr.pdf  |
| 47768 MC0FT5 SSR.pdf  |
| EQUIS 1 47768 MC0FT5 VAL.xls  |
| EQUIS 2 47768 MC0FT5 VAL.xls  |
| EQUIS 3 47768 MC0FT5 VAL.xls  |
| EQuIS 47768 MC0FT5 VAL.xls<br>47768 MC0FT5 DVR.pdf  |
| #1700 MCOF15 DVR.pai  |
| Christine Wagner  |
| US EPA Region 3   |
| 1650 Arch Street  |
| Philadelphia, PA 19103-2029   |
|   |
|   |
| Christine,  |
| Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# MC0FT5. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT). |
|   |
| Please contact ESAT's RPO, Nonresponsive based on revised scope by phone at Nonresponsive based on revised scope or e-mail at Nonresponsive based on revised scope @epa.gov if additional   |
| assistance is needed.   |
| \   |
| TO # 0002 TDF # 0818104   |
|   |
| ₹ <mark>ic</mark> F   |
| Nonresponsive based on revised scope Research Technician   Nonresponsive based on revised scope @epa.gov  |

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350